




Algemene informatie

Materiaalnummer	99192
Type	inbouwarmatuur
Productsegment	woonkamerarmatuur
Thema	overige / niet toewijsbaar
Energie-efficiëntieklasse	E

Afmetingen

Artikeldiameter (in mm/in)	166
Inbouwdiepte (in mm/in)	26
Zaagmaat (in mm/in)	155
Nettogewicht (kg)	0,25

Materiaal & Kleur

Materiaal van de behuizing	staal
Kleur van de behuizing	wit
Glas/kap materiaal	Kunststof
Glas-/kap kleur	wit

Functionality

Type schakelaar	zonder schakelaar
Batterij	Nee

Technische informatie

Veiligheidsklasse	IP20
Veiligheidsklasse	2
Netspanning	220-240V,50/60Hz
Voedingsspanning	220-240V,50/60Hz
Dimbaar	Ja
Watt 1	11
Max. watt incl. trafo/driver	12W

Lichtbron 1

Aantal lampfittings / lichtbron 1	1
Type fitting 1	LED
Type lichtbron 1	LED
Lichtbron 1	inclusief
Lumen per lampfitting / Lichtbron 1	1350
Kelvin 1	3000
Lichtkleur 1	WARM WHITE
Energie-efficiëntieklasse	E
Dimbaar	Ja
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Geschikte dimmer

NR.09: 852,095 - OPUS

Nr.28: 8542 12 00 - BERKER

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.40: 7 520 60 - LEGRAND

Nr.41: 1731DD - JUNG

Nr.46: 1730DD - JUNG

Nr.47: 1724DM - JUNG

Nr.48: UD1755REG - JUNG

Nr.49: 245500 - GIRA

Nr.50: 245000 - GIRA

Nr.51: 244000 - GIRA

Nr.52: 236500 - GIRA

Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.65: 506DA218 - FUGA


Nr.66: 506DA219 - FUGA

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen



1 x 11 W 1 x 1350 lm
Ø 155



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

